ROCK'S TRAILER SALES, INC.

Phone: 6148758989 3908 JACKSON PIKE Grove City, OH Email: sales@rockstrailersales.com;joe@rockstrailersales.com;parts@ro ckstrailersales.com



2022 PJ Trailers HIGH SIDE 7 X 14 FT DUMP

| Stock#: 82237 | VIN#: 4P51D1927N3057570 | Year: 2022 |
|------------------------------------|---|--------------|
| Manufacturer: PJ Trailers | Length: 168" or 14'0" | Weight: 5230 |
| GVWR: 14000 | Payload: 8770 | Color: BLACK |
| Axle Capacity: 0.00 | | |
| URL: https://rockstrailersales.com | /2022-pj-trailers-high-side-7-x-14-ft-dump- | LNfk.html |
| | | <u>-</u> |

| MSRP | \$14,199.00 |
|-------|-------------|
| Price | \$14,199.00 |

Description

PJ High Side dump trailers are popular with contractors, roofers, and landscapers. Rock's trailer sales stocks PJ dump trailers year round.

The

PJ 14 FT high side dump trailer is built to with versatility and strength in mind. This dump trailer comes with an 8-IN steel I-beam frame equipped with tandem 7000# dexter e-z lube electric brake axles for a GVWR of 14000#. Built to haul equipment, this trailer has barn doors with pull out rear ramps as well as a low deck height of 24 inches.

The dump bed of this 14 ft high side dump trailer is 10 gauge steel with 3 in c-channel cross members that are 16-in on center. The bed is 14 ft long 7 ft wide and 48 inches tall with a capacity of 14 yards.

Powered by a 12V DC hydraulic pump that actuates a 5"x 17" hydraulic cylinder built into a a scissor hoist with a 40 degree dump

angle. All contained in a tongue tool box that is wired with a

110v trickle charger for the deep cycle 12v battery.

14000# GVWR

7000# Axles

Electric Brakes Both Axles

- 6 Leaf Slipper Spring Suspension
- 235/80R16 Radial Tires
- 2 5/16ths adjustable ball coupler (can be replaced for a pintle ring if requested)
- 12K Tongue Jack
- 8-IN I-beam Frame
- Powder Coated
- DOT TAPE and LED Lights
- Lockable Tongue Tool Box
- 12 ft cable remote
- 2-way gate (barn doors / spread gate)
- 6' 6" slide in channel ramps
- 4 D-rings (welded inside of the box)
- 40 degree dump pitch
- 12V DC Hydraulic Pump
- 10 Gauge floor / walls
- 5" x 17" hydraulic cylinder w/ scissor hoist
- Mounting brackets for roll-up tarp
- Windless Tarp Kit
- 3" channel crossmembers 16" on center
- 10-ga steel bed
- 83" Wide Bed
- 10-ga. steel sides

48" high sides

All-weather wiring harness

Stake Pockets

24-in deck height

Financing is available

TARP KIT

I-BEAM FRAME

7000# AXLES

ELECTRIC BRAKES BOTH AXLES

2 5/16TH ADJUSTABLE BALL

HIGH SIDES

2 5/16TH ADJUSTABLE BALL

HIGH SIDES